PHILIPS

Philips S Line LCD-monitor met SoftBlue-technologie 243S7EHMB/00

Merk: Philips Productfamilie: S Line Artikelcode: 243S7EHMB/00

Productnaam : LCD-monitor met SoftBlue-technologie 243S7EHMB/00

243S7EHMB LCD-monitor met SoftBlue-technologie

Philips S Line LCD-monitor met SoftBlue-technologie 243S7EHMB/00:

Onze S Line-monitor biedt zakelijke efficiëntie. Het brede IPS-scherm met SoftBlue-technologie helpt bij optimale productiviteit zonder dat gebruikers last krijgen van hun ogen. De monitor is in hoogte verstelbaar en frameloos, en kan voor een uitgebreide weergave worden gecombineerd met meerdere schermen.

Philips S Line LCD-monitor met SoftBlue-technologie 243S7EHMB/00. Beeldschermdiagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LED, Responstijd: 5 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





| Display | | Ergonomics | |
|--|----------------------------|--|--|
| Display diagonal * | 60.5 cm (23.8") | Tilt angle range | -5 - 25° |
| Display resolution * | 1920 x 1080 pixels | On Screen Display (OSD) | ✓ |
| HD type * Native aspect ratio * Display technology * Panel type * Backlight type | Full HD 16:9 LED IPS W-LED | On Screen Display (OSD) languages | Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian |
| Touchscreen * | × | Number of OSD languages | 21 |
| Display brightness (typical) | 250 cd/m ² | Plug and Play | ✓ |
| Response time * | 5 ms | LED indicators | Operation, Stand-by |
| Screen shape * | Flat | Power | |
| Supported graphics resolutions | 1920 x 1080 (HD 1080) | Energy efficiency class (SDR) * | E |
| Aspect ratio Contrast ratio (typical) * | 16:9 1000:1 | Energy consumption (SDR) per 1000 hours * | 18 kWh |
| Contrast ratio (dynamic) | 20000000:1 | Power consumption (typical) * | 12.84 W |
| Dynamic contrast ratio marketing name | SmartContrast | Power consumption (standby) * | 0.5 W 20 W |
| Maximum refresh rate * | 60 Hz | Power consumption (max) Power consumption (off) | 0.3 W |
| Viewing angle, horizontal | 178° | Power consumption (PowerSave) | 11 W |
| Viewing angle, vertical | 178° | AC input voltage | 100 - 240 V |
| Display number of colours * | 16.7 million colours | AC input frequency | 50 - 60 Hz |
| Pixel pitch | 0.275 x 0.275 mm | Power supply type | Internal |
| Pixel density | 93 ppi | Energy efficiency scale | A to G |
| Horizontal scan range Vertical scan range | 30 - 83 kHz 56 - 76 Hz | European Product Registry for Energy Labelling (EPREL) code | 421951 |
| Viewable size, horizontal | 52.7 cm | Annual energy consumption | 29 kWh |
| Viewable size, vertical | 29.6 cm | Operational conditions | |
| Digital horizontal frequency Digital vertical frequency | 30 - 83 kHz 56 - 76 Hz | Operating temperature (T-T) Storage temperature (T-T) | 0 - 40 °C -20 - 60 °C |

| Display | | Operational conditions | |
|--|--|---|--|
| | | Operational conditions Operating relative humidity (H-H) | 20 - 80% |
| Sync-on-green (SOG) | √ | Operating relative numidity (H-H) | 20 - 80% 0 - 3658 m |
| Display diagonal (metric) | 60.5 cm | Non-operating altitude | 0 - 12192 m |
| DDC/CI | √ | | 0 12132 111 |
| Colour gamut standard | sRGB | Weight & dimensions | |
| 3D | X | Width (with stand) | 540 mm |
| Separate H/V sync | / | Depth (with stand) | 202 mm |
| Display sRGB | / | Height (with stand) Weight (with stand) | 483 mm 5 kg |
| Performance | | Width (without stand) | 5 kg 540 mm |
| Component video sync | Separate sync, Sync-on-green (SOG) | Depth (without stand) | 45 mm 325 mm |
| Flicker-free technology | ✓ | Height (without stand) Weight (without stand) | 3.1 kg |
| Multimedia | | Packaging data | · , |
| Number of speakers | 2 | Package width | 602 mm |
| RMS rated power | 2 W | Package depth | 199 mm |
| Built-in speaker(s) * | ✓ | Package height | 457 mm |
| Built-in camera * | × | Package weight | 7.29 kg |
| Design | | Package type | Box |
| Market positioning * | Home | Packaging content | |
| Product colour * | Black | Stand included | ✓ |
| Front bezel colour | Black | Cables included | VGA, HDMI, Audio (3.5mm), AC |
| Detachable stand | ✓ | Manual | ✓ ✓ |
| Feet colour | Black | Bundled software | SmartControl |
| | | | |
| Ports & interfaces | | Sustainability | |
| Ports & interfaces Built-in USB hub * | × | Sustainability Sustainability certificates | ENERGY STAR TOO |
| | x 1 | Sustainability Sustainability certificates Doesn't contain | ENERGY STAR, TCO PVC/BFR, Mercury |
| Built-in USB hub * | | Sustainability certificates Doesn't contain | ENERGY STAR, TCO PVC/BFR, Mercury |
| Built-in USB hub * VGA (D-Sub) ports quantity | 1 | Sustainability certificates Doesn't contain Other features | PVC/BFR, Mercury |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port | 1 x | Sustainability certificates Doesn't contain Other features On/off switch | PVC/BFR, Mercury |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * | 1 × ✓ | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated | PVC/BFR, Mercury ✓ × |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity | 1 X 1.4 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type | PVC/BFR, Mercury ✓ × Textured |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version | 1 X ✓ 1.4 1.4 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution | PVC/BFR, Mercury |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input | 1 X ✓ 1.4 1.4 X | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement | PVC/BFR, Mercury |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * | 1 X / 1.4 1.4 X / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs | 1 X / 1.4 1.4 X / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in | 1 X / 1.4 1.4 X / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics | 1 x / 1.4 1.4 x / 1 / 1 / / / / / / / / / / / / / / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * | 1 X / 1.4 1.4 X / / / / / / / / / / / / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type | 1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * | 1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; CETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) RoHS |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) | 1 x 1.4 1.4 1.4 X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * | 1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF) | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE, |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle | 1 x 1.4 1.4 1.4 X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling | 1 X / 1.4 1.4 X / 1 / 100 x 100 mm / Kensington / 13 cm / 90 - 90° / | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF) | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) V ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE, UKRAINIAN, ICES-003, |
| Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle | 1 X / 1.4 1.4 X / 1 / 100 x 100 mm / Kensington / 13 cm / 90 - 90° | Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF) | PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE, UKRAINIAN, ICES-003, TUV/ISO9241-307, PSB, CECP, TUV |





8712581744281

4058154201923

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.