



## TP-Link TL-SG108E Managed L2 Gigabit Ethernet (10/100/1000) Zwart

**Merk :** TP-Link

**Artikelcode:** TL-SG108E V5

**Productnaam :** TL-SG108E



- 8 x 10/100/1000 Mbps RJ45 aansluitingen
  - Netwerk monitoring, verkeersprioriteiten en VLAN functies
  - Innovatieve, energie-efficiënte techniek bespaart tot 80% energie
  - Eenvoudige netwerk instelling en plug-and-play aansluiting
  - Alle Easy Smart Switches centraal beheren m.b.v. hulpprogramma Easy Smart Configuration
- TL-SG108E Gigabit Easy Smart Switch met 8 aansluitingen

TP-Link TL-SG108E. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x

Beheerfuncties		Beveiliging	
Switch type *	Managed	Ondersteunde beveiligingsalgoritmen	SNMP, SNMPv2, SNMPv3
Switch-laag	L2	Bescherming lus	✓
Quality of Service (QoS)	✓	<b>Design</b>	
Web-gebaseerd management	✓	Kleur van het product	Zwart
<b>Poorten &amp; interfaces</b>		Materiaal behuizing	Metaal
Aantal basis-switching RJ-45 Ethernet-poorten *	8	LED-indicatoren	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Certificering	FCC, CE, RoHS
Aantal Gigabit Ethernet (koper)-poorten	8	<b>Prestatie</b>	
<b>Netwerk</b>		Plug and play	✓
Netwerkstandaard *	IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x	<b>Energie</b>	
10G support *	✗	Stroombron *	DC
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e	Vermogenstoevoer inclusief *	✓
Port mirroring	✓	Stroom	0.6 A
Verbindingsaggregatie	✓	Ingangsspanning	9 V
Broadcast stormbeheer	✓	Vermogensverbruik (max)	3,55 W
Auto MDI/MDI-X	✓	<b>Eisen aan de omgeving</b>	
Auto-negotiation	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
VLAN=ondersteuning	✓	Temperatuur bij opslag	-40 - 70 °C
Virtuele LAN-functies	Port-based VLAN	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Aantal VLANs	32	Luchtvochtigheid bij opslag	5 - 90 procent
<b>Data-uitwisseling</b>		Warmtedissipatie	12,12 BTU/h
Switchingcapaciteit *	16 Gbit/s	<b>Gewicht en omvang</b>	
Verzending snelheid	11,9 Mpps	Breedte	158 mm
MAC-adrestabel *	4000 entries	Diepte	101 mm
Store-and-forward	✓	Hoogte	25 mm
Jumbo Frames ondersteuning	✓	<b>Verpakking</b>	
Jumbo frames	15000	Meegeleverde kabels	AC
Packet buffergeheugen	1,5 MB	Gebruiksaanwijzing	✓

**Beveiliging**

IGMP snooping

**Verpakking**

Type verpakking

Doos

Breedte verpakking

130 mm

Diepte verpakking


191 mm

Hoogte verpakking

92 mm

Gewicht verpakking

630 g




0845973021856



845973021856



6935364021856



6935364021863

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.