# MORE THAN JUST A STAND

Get more than your standard headset stand with the GS750, with multiple fully-integrated features to ensure you're getting maximum functionality out of a specialized tool. With useful features such as Qi wireless charging, extra USB 3.0 ports, and an onboard sound card with 7.1 surround capability, the GS750 makes it clear that it's not your normal, everyday headset stand.

FEATURES

Qi Wireless Charging Base: Keep your important mobile devices charged without the hassle of cables and chargers

Customizable RGB Beam Lighting: 13 LEDs around the edges give your desk some personal color with endless customizability

USB Hub with Two USB 3.0 Ports: Cable management has never been easier with two USB 3.0 ports

Onboard 7.1 Surround sound: Plug your headset directly into the stand for superior sound quality and enjoy maximum immersion

Software Customization: Unleash 16.7 million colors via software control

Adapter type	Item Weight	Item + Package
A, C, G, I	0.68kg	1.06kg
Package dimensions	204*140*319mm	
Carton Dimensions	437*427*350mm	

Cont.	W/ Pallet	Carton/ Pallet	W/O Pallet
20'	120	20	
40'	120	20	
40 HQ	144	24	

SPECIFICATIONS & PACKING INFORMATION

Product Name		Masteraccessory GS750
Product Number /Adapter plug type	A	MPA-GS750-00
	C	MPA-GS750-00-C1
	G	MPA-GS750-00-G1
	I	MPA-GS750-00-I1
Certain countries, based on the list on page 3	A	MPA-GS750-00-A2
	C	MPA-GS750-00-C2
	I	MPA-GS750-00-I2
	G	MPA-GS750-00-G2
Base Color		Black
Material		Arm: Aluminum Base: Plastic, natural rubber
Number of LEDs		13 RGB LEDs
Interface		2x USB 3.0 3.5mm jack headphone/mic combo
Audio		USB audio codec with 3.5mm jack 7.1 surround sound, bass and treble
Adapter power		18 Watts
Adapter cable length		1.2m
Wireless charging		Qi standard certified up to 10 W
Smart Micro processor		Prevents overheating, overcharging and prevents charging when foreign object is detected on the pad
Wireless charging area		Top of the base, centered on CM logo
Software support		RGB, Audio equalizer controls
Item dimensions		10*15*28.5cm (rough)

Product Number	EAN code	UPC code
MPA-GS750-00	4719512075197	884102047688
MPA-GS750-00-C1	4719512078228	884102050718
MPA-GS750-00-G1	4719512078235	884102050725
MPA-GS750-00-I1	4719512078242	884102050732
MPA-GS750-00-A2	4719512078259	884102050749
MPA-GS750-00-C2	4719512078266	884102050756
MPA-GS750-00-I2	4719512078273	884102050763
MPA-GS750-00-G2	4719512078280	884102050770

FEATURES

Front-side view

Rear-side view

Right side view

Left side view

ADAPTER PLUG TYPES

Type A
MPA-GS750-00
2 pins, not grounded, 15 A,
almost always 100 – 127 V
mainly used in the USA, Canada, Mexico & Japan

Type C
MPA-GS750-00-C1
2 pins, not grounded, 2.5 A,
almost always 220 – 240 V
commonly used in Europe, South America & Asia

Type G
MPA-GS750-00-G1
3 pins, grounded, 13 A, 220 – 240 V
mainly used in the United Kingdom, Ireland,
Malta, Malaysia & Singapore

Type I
MPA-GS750-00-I1
2 or 3 pins, grounded if 3 pins, 10 A, 220 – 240 V
mainly used in Australia, New Zealand, China &
Argentina

ADAPTER PLUG TYPES

For a full adapter type country list, please click:

includes details for part numbers:

MPA-GS750-00-A2

MPA-GS750-00-C2

MPA-GS750-00-I2

MPA-GS750-00-G2

Adapter Plug
Type