

Philips V Line Full HD LCD-monitor 273V7QJAB/00

Merk : Philips

Productfamilie: V Line

Artikelcode: 273V7QJAB/00

Productnaam : Full HD LCD-monitor 273V7QJAB/00

- V Line
- 68,6 cm (27")
- Full HD (1920 x 1080)
- 273V7QJAB Full HD LCD-monitor

Philips V Line Full HD LCD-monitor 273V7QJAB/00:

Een perfect allround scherm met verbluffende beelden van rand tot rand. Compact ontworpen en prettig voor uw ogen.

Philips V Line Full HD LCD-monitor 273V7QJAB/00. Beeldscherm diagonaal: 68,6 cm (27"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LED. Beeldscherm: LED. Responstijd: 4 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage. Kleur van het product: Zwart



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Height adjustment *	✗
Display resolution *	1920 x 1080 pixels	Tilt adjustment	✓
HD type *	Full HD	Tilt angle range	-5 - 20°
Native aspect ratio *	16:9	On Screen Display (OSD)	✓
Display technology *	LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Panel type *	IPS	Plug and Play	✓
Backlight type	W-LED	LED indicators	Operation, Stand-by
Touchscreen *	✗	Power	
Display brightness (typical)	250 cd/m ²	Energy efficiency class (SDR) *	E
Response time *	4 ms	Energy consumption (SDR) per 1000 hours *	21 kWh
Anti-glare screen	✓	Power consumption (typical) *	15.4 W
Screen shape *	Flat	Power consumption (standby) *	0.5 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (average)	23 W
Aspect ratio	16:9	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1000:1	AC input voltage	100 - 240 V
Contrast ratio (dynamic)	10000000:1	AC input frequency	50 - 60 Hz
Dynamic contrast ratio marketing name	SmartContrast	Power supply type	Internal
Maximum refresh rate *	75 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for Energy Labelling (EPREL) code	413357
Viewing angle, vertical	178°	Operational conditions	
Display number of colours *	16.7 million colours	Operating temperature (T-T)	0 - 40 °C
Pixel pitch	0.311 x 0.311 mm	Storage temperature (T-T)	-20 - 60 °C
Pixel density	82 ppi		
Horizontal scan range	30 - 83 kHz		
Vertical scan range	56 - 76 Hz		
Viewable size, horizontal	59.8 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 83 kHz		

Display		Operational conditions	
Digital vertical frequency	56 - 76 Hz	Operating relative humidity (H-H)	20 - 80%
Sync-on-green (SOG)	✓	Operating altitude	0 - 3658 m
Display diagonal (metric)	68.6 cm	Non-operating altitude	0 - 12192 m
DDC/CI	✓	Relative humidity	20 - 80%
Haze rate	25%	Weight & dimensions	
Surface hardness	3H	Width (with stand)	613 mm
Colour gamut standard	sRGB	Depth (with stand)	227 mm
3D	✗	Height (with stand)	454 mm
Separate H/V sync	✓	Weight (with stand)	4.37 kg
Display sRGB	✓	Width (without stand)	613 mm
Performance		Depth (without stand)	45 mm
NVIDIA G-SYNC *	✗	Height (without stand)	368 mm
AMD FreeSync *	✗	Weight (without stand)	3.8 kg
Component video sync	Separate sync, Sync-on-green (SOG)	Packaging data	
Flicker-free technology	✓	Package width	664 mm
Low Blue Light technology	✓	Package depth	134 mm
Windows operating systems supported	✓	Package height	452 mm
Mac operating systems supported	✓	Package weight	6.19 kg
Multimedia		Package type	Box
Number of speakers	2	Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	HDMI, AC
Design		Manual	✓
Market positioning *	Home	Other features	
Product colour *	Black	Display	LED
Feet colour	Black	On/off switch	✓
Ports & interfaces		TV tuner integrated	✗
Built-in USB hub *	✗	Exterior finish type	Textured
VGA (D-Sub) ports quantity	1	Recommended resolution	1920 x 1080 @ 60 Hz
DVI port	✗	Picture enhancement	SmartImage
HDMI ports quantity	1	Recyclable packaging material	100%
DisplayPorts quantity	1	Regulatory Approvals	CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off
DisplayPort version	1.2	Heavy metals free	Hg (mercury)
Headphone out *	✓	No flickering	✓
Headphone outputs	1	LowBlue mode	✓
PC Audio in	✓	Compliance certificates	RoHS, WEEE
Ergonomics		Mean time between failures (MTBF)	50000 h
VESA mounting *	✓	Certification	CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light cut-off
Panel mounting interface	100 x 100 mm	Thin Client	
Cable lock slot *	✓	Thin client installed	✗
Cable lock slot type	Kensington	Logistics data	
		Harmonized System (HS) code	85285210



8712581745905



5054444327815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.