

# 

120 mm fan with 6 RGB LEDs





**SILENT EFFICIENCY** 23 dB(A) at 93.22m<sup>3</sup>/h

## **Cool Lighting. Cool Case.**



With six LEDs in its center, the Pacelight F1 120 mm RGB LED fan provides atmospheric case lighting in up to 16.8 million colors. Especially developed for the Sharkoon Pacelight P1, the fan is also compatible to all RGB controllers which have 12 V G-R-B connectors.



The rubberized contact points ensure that vibration transfer is effectively dampened.



The Pacelight F1 fan not only provides a visual highlight inside the case with its RGB lighting, but also delivers efficient cooling with an airflow of up to 93.22m³/h at 1,400 rpm.

## **Specifications**



#### **General:**

- Fan Speed
- Bearing Type
- Max. Airflow
- Max. Air Pressure
- Max. Noise Level
- MTBF
- Illumination
- Connector Fan
- Connector LED
- Pinout
- Cable Length

1400 rpm ± 10%

Fluid Dynamic Bearing

93.22 m<sup>3</sup>/h

1.13mm H<sup>2</sup>0

23 db (A)

Min. 50,000 Hours

6x RGB LED

3-Pin

4-Pin (2.54 mm)

12 V - G - R - B

50 cm + 5 cm LED

#### **Electrical Specifications:**

- Rated Voltage
- Rated Current Fan
- Rated Current LED Fan
- Rated Power Fan
- Rated Power LED Fan
- Start Voltage
- Weight incl. Cable ■ Dimensions (L x W x H)
- 12 V
- 0.15 A
- 0.08 A
- 1.8 W
- 1 W
- 5 V 125 g
  - 120 x 120 x 26 mm



### **Retail Package**

- Dimensions (L x W x H): 125 x 140 x 28 mm
- Weight: 147 g

# **Shipment box**

Packing Unit: 20

Dimensions (L x W x H): 310 x 265 x 160 mm

Weight: 3.4 kg

Customs tariff no.: 84145915 Country of origin: China

## **Package Contents**

- Pacelight RGB Fan F1
- Manual



www.sharkoon.com