



TP-Link Omada EAP225 draadloos toegangspunt (WAP) 1350 Mbit/s Wit Power over Ethernet (PoE)

Merk : TP-Link

Productfamilie: Omada

Artikelcode: EAP225

Productnaam : EAP225

TP-Link Omada EAP225. 2,4 GHz, 5 GHz, Maximale overdrachtsnelheid van gegevens: 1350 Mbit/s. Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, WPA, WPA-PSK, WPA2, WPA2-PSK. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Kleur van het product: Wit



Features		Design	
2.4 GHz *	✓	Product colour *	White
5 GHz *	✓	Cable lock slot	✓
6 GHz *	✗	Cable lock slot type	Kensington
Maximum data transfer rate *	1350 Mbit/s	On/off switch	✓
Maximum data transfer rate (2.4 GHz)	450 Mbit/s	Reset button	✓
Maximum data transfer rate (5 GHz)	867 Mbit/s	LED indicators	Power, WLAN
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af	Antenna type *	Internal
Cabling technology	10/100/1000Base-T(X)	Antenna direction type	Omni-directional
MIMO	✓	Antenna features	Integrated antenna
MIMO type	Multi User MIMO	Antennas quantity	5
Wi-Fi Multimedia (WMM)/(WME)	✓	Antenna gain level (max)	5 dBi
VLAN support	✓	Performance	
Virtual LAN features	VLAN mapping	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Linux
Rate limiting	✓	Certificates	
Band steering	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Airtime Fairness (ATF)	✓	Mobile network	
Quality of Service (QoS) support	✓	SIM card slot	✗
BeamForming	✓	Weight & dimensions	
Transmitting power (CE)	23 dBm	Width	205.5 mm
Transmitting power (FCC)	24 dBm	Depth	181.5 mm
Security		Height	37.1 mm
Security algorithms *	64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, WPA, WPA-PSK, WPA2, WPA2-PSK		

Security		Packaging data	
MAC address filtering	✓	Package width	228 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Package depth	340 mm
Number of SSID supported	16	Package height	65 mm
Access Control List (ACL)	✓	Package weight	910 g
Management features		Packaging content	
Web-based management	✓	Quantity per pack	1 pc(s)
Syslog	✓	AC adapter included	✓
Ports & interfaces		PoE adapter included	✓
Ethernet LAN (RJ-45) ports *	1	Mounting kit	✓
DC-in jack	✓	Quick start guide	✓
Power		Operational conditions	
Power over Ethernet (PoE) *	✓	Operating relative humidity (H-H)	10 - 90%
Power over Ethernet (PoE) type supported	Passive PoE	Operating temperature (T-T)	0 - 40 °C
Output voltage	12 V	Storage temperature (T-T)	-40 - 70 °C
Output current	1.5 A	Storage relative humidity (H-H)	5 - 90%
Power consumption (typical)	10.15 W	Sustainability	
Design		Sustainability compliance	✓
Placement *	Ceiling, Wall	Logistics data	
		Harmonized System (HS) code	85176990



6935364096915

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-FEB-2025. Prints or copies of Information are only valid on the printed Publication date